



DOMO GRI Submersible Grinder Pump



Engineered for life





LOWARA LAUNCHES NEW SUBMERSIBLE GRINDER PUMP FOR RESIDENTIAL APPLICATIONS




An efficient new grinder pump from Lowara is set to clean up in the domestic sewage market. The new DOMO GRI has been design to deliver domestic sewage, liquids containing solids or fibres, and wastewater from residential buildings to the sewer mains or a pressurized sewer network.

Constructors face a number of challenges for which DOMO GRI is the ideal solution. DOMO GRI comes into its own in farm areas, small villages and homes built in remote areas where the conventional gravity sewage network is too expensive to commission.


The pumps are particularly effective where the sewer main is located at high level or where the ground level is variable. It is also a cost-effective option where the installation is far from the sewer main, such as in holiday homes and camping grounds

DOMO GRI SERIES - IDENTIFICATION CODE





DOMO GRI SERIES OPERATING CHARACTERISTICS AT 50 Hz



HYDRAULIC PERFORMANCE TABLE

PUMP TYPE	OUTPUT		Q = DELIVERY											
	POWER		l/min	0	15	30	40	50	60	70	80	90	100	110
			m³/h	0	0,9	1,8	2,4	3	3,6	4,2	4,8	5,4	6	6,6
	kW	HP		H = TOTAL HEAD METRES COLUMN OF WATER										
DOMO GRI 11 (SG)	1 1	1 5	2	ΕΛ	23.5	21.7	20,5	19,3	18,0	16,6	15,2	13.5	117	9,5
DOMO GRI 11 T	1,1	۱,٥	25,0		۷۵,۵	21,7	20,3	13,3	10,0	10,0	13,2	15,5	11,7	9,3

These performances are valid for liquids with density $\, \rho = 1.0 \; \text{kg/dm}^3$ and kinematic viscosity $\, v = 1 \; \text{mm}^2/\text{s}.$

domo-gri-2p50-en_a_th

ELECTRICAL DATA


PUMP TYPE	PUMP TYPE INPUT		CAPACITOR	PUMP TYPE	INPUT	INPUT	INPUT
	POWER*	CURRENT*			POWER*	CURRENT*	CURRENT*
SINGLE-PHASE		220-240 V		THREE-PHASE		220-240 V	380-415 V
	kW	Α	μ F / 450 V		kW	Α	Α
DOMO GRI 11 (SG)	1,58	7,02	30	DOMO GRI 11 T	1,49	4,73	2,73

*Maximum value in specified range


domo-gri-2p50-en_a_te



DOMO GRI SERIES DIMENSIONS AND WEIGHTS



PUMP	WEIGHT			
ТҮРЕ	kg			
DOMO GRI 11 (SG)	19 (18,8)			
DOMO GRI 11 T	18,3			



1380 A DD

RANGE INTEGRATION



DOMO GRI is designed to complete the ITT Lowara Residential sewage pump range named DOMO with a reliable non clogging solution.



DOMO GRI is also available assembled into the ITT Lowara sewage lifting stations range named Singlebox and Doublebox.

Engineered for life





HIGHLY RELIABLE GRINDER SYSTEM

DOMO GRI features a completely new, extremely efficient and highly reliable grinder system.

The grinder is able to macerate all the solids present in the sewage into small pieces able to pass through the pump impeller and smaller discharge pipes (DN25).

Not only is the risk of clogging or blockage extremely low, contractors are able to minimize investment costs by using smaller and flexible pipes or where such pipes are the only option.

The grinder system is easily replaceable to ensure that any downtime is minimised and that maintenance is easy and quick. For more details on Lowara's DOMO GRI grinder pumps please visit or call your local Lowara Sales offices.



Engineered for life





ITT Lowara part of ITT Corporation and headquarters of "Residential and Commercial Water - EMEA".

Commercial Water - EMEA".

World leading in offering high reliable fluid handling solutions for Building Services, Irrigation and Industrial applications. We provide a complete range of high quality pumps, packaged systems and controls and are specialized in engineering and manufacturing stainless steel products.

ITI Lowara is headquartered in Vicenza, Italy and operates in more than 80 countries across the world with own plants in Italy, Austria, Poland and Hungary. The company has 1.300 employees and generated 2008 sales exceeding \$440 million. ITT Lowara is wholly owned by the ITT Corporation of White Plains, New York, and is the EMEA headquarter of ITT's Residential and Commercial Water division. ITT Corporation is a high-technology engineering and manufacturing company operating on all seven continents in three vital markets: water and fluids management, global defense and security, and motion and flow control. ITT Corporation generated 2008 sales of \$11.7 billion

ITT RESIDENTIAL AND COMMERCIAL WATER DIVISION - EMEA

Headquarters

LOWARA S.r.l. Via Dott. Lombardi, 14 36075 Montecchio Maggiore Vicenza - Italy Tel. (+39) 0444 707111 Fax (+39) 0444 492166 e-mail: lowara.mkt@itt.com http://www.lowara.com

AUSTRIA

ITT AUSTRIA GmbH A-2000 STOCKERAU Ernst Vogel-Straße 2 Tel. (+43) 02266 604 Fax (+43) 02266 65311 e-mail: info.ittaustria@itt.com http://www.ittaustria.com

FRANCE LOWARA FRANCE S.A.S.

BP 57311 37073 Tours Cedex 2 Tel. (+33) 02 47 88 17 17 Fax (+33) 02 47 88 17 00 e-mail: lowarafr.info@itt.com http://www.lowara.fr

GERMANY LOWARA DEUTSCHLAND GMBH

Biebigheimer Straße 12 D-63762 Großostheim Tel. (+49) 0 60 26 9 43 - 0 Fax (+49) 0 60 26 9 43 - 2 10 e-mail: lowarade.info@itt.com http://www.lowara.de

IRELAND ITT IRELAND 50 Broomhill Close

Airton Road Tallaght DUBLIN 24 Tel. (+353) 01 4524444 Fax (+353) 01 4524795 e-mail: lowara.ireland@itt.com http://www.lowara.ie

NEDERLAND LOWARA NEDERLAND B.V.

Zandweistraat 22 4181 CG Waardenburg Tel. (+31) 0418 655060 Fax (+31) 0418 655061 e-mail: lowaranl.info@itt.com http://www.lowara.nl

POLAND

LOWARA VOGEL POLSKA Sp. z o.o. PL 57-100 Strzelin ul. Kazimierza Wielkiego 5 Tel. (+48) 071 769 3900 - Fax (+48) 071 769 3909 e-mail: info.lowarapl@itt.com http://www.lowara-vogel.pl

PORTUGAL

ITT PORTUGAL, Lda Praçeta da Castanheira, 38 4475-019 Barca Tel. (+351) 22 9478550 Fax (+351) 22 9478570 e-mail: info.pt@itt.com http://www.itt.pt

LOWARA Moscow

Kalanchevskaya st. 11 b.2 off. 338 107078 Moscow Tel. (+7) 495 680 91 03 Fax (+7) 495 631 59 72 info.lowararu@itt.com - www.lowara.com

UK LOWARA UK LTD.

Millwey Rise, Industrial Estate Axminster - Devon EX13 5HU UK Tel. (+44) 01297 630200 Fax (+44) 01297 630270 e-mail: lowaraukenquiries@itt.com http://www.lowara.co.uk

For additional addresses, please visit www.lowara.com

cod. 191004461 P 06/09

Lowara reserves the right to make modifications without prior notice.